



Dart Hawkesbury  
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada  
Tel (613) 632-5200  
Fax 613 632-5246

## Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total	Supplier Name
PO042662	ACI001-VC	1	1	Net 30	M304S11GA	304/316 0.125 Sheet : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL- S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240				32	2/25/2019	32		S155920	Stock	2/22/2019	\$ 15.54 / sf	0		\$497.20	Acier Ouellette Inc.
		2			M304S14GA	304SS sheet .080 : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL- S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240 receive sf						32	S155921	Stock	2/22/2019	\$ 10.33 / sf	0		\$330.66	Acier Ouellette Inc.	
Total:										64											\$626.50



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER

## PO042662



**Supplier:** ACI001-VC  
Acier Ouellette Inc.  
935 Boul. Du Havre  
Valleyfield  
QC  
J6S 5L1 Canada  
Phone: 800 667 4248  
Fax: 450 377 5696

**PO No:** PO042662

**PO Date:** 2/20/19

**Due Date:** 2/28/19

**Purchase Order  
Revision:**

**Revision Date:**

**Ship-To Contact:** Lavoie, Chantal  
clavoie@dartaero.com

E-MAILED  
FEB 20 2019

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**Via:** Ground

**Pymt Terms:** Net 30

**Freight Terms:**

**Special Comments:** QUOTA NO. SOU0161472 SOU0161496

### Items

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1 ✓ AT		M304S11GA		304/316 0.125 Sheet : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240	Firmed	-	2/25/19	32 sf ✓ 32sf	0 sf	32 sf	\$15.5375/sf	\$497.20 At 1902/22
2 ✓ AT		M304S14GA		304SS sheet .080 : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240 receive sf	Firmed	-	2/25/19	32 sf ✓ 32sf	0 sf	32 sf	\$10.333/sf	\$330.66 At 1902/22
3		M6061T6B1.250X3.000		6061T6 Bar 1.250 X 3.000 : MATERIAL: 6061- T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ- A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ- A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	-	2/25/19	12 ft	0 ft	12 ft	\$16.124166/ft	\$193.49
4		M6061T6B2.000X04.500		6061T6 Bar 2.00 X 4.500 : MATERIAL: 6061- T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ- A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ- A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	-	3/1/19	12 ft	0 ft	12 ft	\$77.44/ft	\$929.28

Plex 2/20/19 12:26 PM dart.lavoie.chantal



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER

## PO042662



### Items

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
5		M6061T6B2.000X3.000		6061T6 Bar 2.000 X 3.000 : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	-	2/25/19	12 ft	0 ft	12 ft	\$23.705/ft	\$284.46
6		M6061T6B1.500X4.000		6061T6 Bar 1.500 X 4.00 : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	-	2/25/19	12 ft	0 ft	12 ft	\$27.769166/ft	\$333.23
7		M6061T6B1.500X6.000		6061T6 Bar 1.500 X 6.00 : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	-	2/28/19	12 ft	0 ft	12 ft	\$39.7375/ft	\$476.85
8		M6061T6B0.500X05.000		6061-T6 Bar .500 X 5.00 : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	-	2/28/19	40 ft	0 ft	40 ft	\$11.9685/ft	\$478.74



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER

## PO042662



### Items

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
9		M6061T6B2.500X01.250		6061-T6 Bar 2.50 X 1.25 : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	-	2/25/19	12 ft	0 ft	12 ft	\$14.6825/ft	\$176.19
10		M304B0.625X3.000		304 Bar .625 X 3.00 : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	-	2/28/19	24 ft	0 ft	24 ft	\$30.875833/ft	\$741.02
11		M304R0.375		304 Round Bar 0.375 : MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	-	2/25/19	24 ft	0 ft	24 ft	\$1.3158333/ft	\$31.58
12		M304R1.000		304 Round Bar 1.00 : MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	-	2/25/19	12 ft	0 ft	12 ft	\$12.654166/ft	\$151.85
13		M303R0.625		303 Round Bar 0.625" : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE:304/316 NOT ACCEPTABLE receive ft	Firmed	-	2/28/19	12 ft	0 ft	12 ft	\$3.765/ft	\$45.18
14		M303R1.000		303 Round Bar 1.00 : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE:304/316 NOT ACCEPTABLE receive ft	Firmed	-	2/28/19	36 ft	0 ft	36 ft	\$10.571944/ft	\$380.59
15		M1018R2.250		M1018R2.250 : MATERIAL: AISI 1018-1025 ROUND BAR M1010S20GA AS PER MIL-S-7097 OR ASTM A108 receive ft	Firmed	-	2/28/19	6 ft	0 ft	6 ft	\$22.075/ft	\$132.45



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER

## PO042662



Items												
Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
16		M1018B0.500X01.000		1010-1025 Steel Bar .500 X 1.000 : MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570 OR OR CSA G40-21 38W/44W/50W/60W/70W CSA G40-21 OR 38W/44W/50W/60W/70W receive ft	Firmed	-	2/25/19	12 ft	0 ft	12 ft	\$2.5658333/ft	\$30.79
17		M1018B1.000X01.500		1010-1025 Steel Bar 1.000 X 1.500 : MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570 OR OR CSA G40-21 38W/44W/50W/60W/70W CSA G40-21 OR 38W/44W/50W/60W/70W receive ft	Firmed	-	2/28/19	6 ft	0 ft	6 ft	\$8.09/ft	\$48.54
18		M1018B1.250X02.000		1010-1025 Steel Bar 1.250 X 2.000 : MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570 OR OR CSA G40-21 38W/44W/50W/60W/70W CSA G40-21 OR 38W/44W/50W/60W/70W receive ft	Firmed	-	2/28/19	6 ft	0 ft	6 ft	\$15.34666/ft	\$92.08
19		M1018B1.500X2.000		1010-1025 Steel Bar 1.500 X 2.000 : MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570 OR OR CSA G40-21 38W/44W/50W/60W/70W CSA G40-21 OR 38W/44W/50W/60W/70W receive ft	Firmed	-	2/28/19	6 ft	0 ft	6 ft	\$14.51333/ft	\$87.08
20		MT-A513-T-1.750W0.250		ASTM A513 TYPE 5 (1020/1026) SEAMLESS ALLOY STEEL ROUND TUBING (DOM)  MATERIAL: ASTM A513 TYPE 5 (1020/1026) SEAMLESS ALLOY STEEL ROUND TUBING (DOM) ASTM A513 TYPE 5	Firmed	-	2/25/19	6 ft	0 ft	6 ft	\$12.00/ft	\$72.00
Grand Total:											\$5,513.26	



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER

## PO042662



### Order Notes

#### Procurement Quality Clauses

A005 right of entry  
A012 chemical and physical test report  
A016 personnel qualification  
A017 raw material identification (as applicable). No Raw Metals from China or Soviet Bloc Countries  
A026 certification of material conformance  
A041 quality management system  
A042 dart notification by supplier  
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program.

A049 supplier awareness.

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

A handwritten signature in black ink, appearing to be "CL" or similar, with a large circular flourish underneath.

Plex 2/20/19 12:26 PM dart.lavoie.chantal



# ACIER OUELLETTE INC.

935, Boul. du Hâvre  
Salaberry de Valleyfield (Québec) J6S 5L1  
Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248  
Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

# DELIVERY - CLIENT

Copy

CO00133273

## Billed to

DART AEROSPACE LTD  
1270, ABERDEEN ST.  
HAWKESBURY, Ontario, K6A 1K7

## Shipped to

1270, ABERDEEN ST.  
HAWKESBURY, Ontario, K6A 1K7

Att: CHANTAL LAVOIE Tél: 613-632-5200

Instruction F-M

Delivery Route

Customer N° CLI0001056  
Date 2019/02/20  
Delivery date 2019/02/22  
Your order N° 042662  
Processed by Josianne Bourdon  
Salesman  
Carrier OUELLETTE VALLEYFIELD  
Credit Terme Net 30 Days

Product Description	Weight	Qty	UM	PCS NB			Internal Use Only				
				CMD	EXP	B/O	IN	I	S	C	OUT
1 SHEET SS 11G SS304-2B (4 X 8) FESS-11G483042B 3402 1 X 4' X 8' PO 042662 LINE1 HEAT 41N050390	168.00	32.00	PI2_\$CLB		4' X 8'						
2 SHEET SS 14G SS304-2B (4 X 8) FESS-14G483042B 3412 1 X 4' X 8' PO 042262 LINE 2 HEAT 520596	104.99	32.00	PI2_\$CLB		4' X 8'						

Note: ATTENTION: MILL TEST REQUIS

## Conditions:

All sold and delivered materials remain the property of "Acier Ouellette Inc" until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Ouellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Ouellette Inc." to the client. The buyer hereby accepts to respect the following conditions: Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to a 25% restocking charge.

Total Weight (Lbs): 272.99

NIR: R-109516-6

Prepared By:

Verified By:

Delivered By:

Time

Y M D

Customer's Signature

Date







# SPECIFICATION CONTROL DRAWING

Cre 1. M304S11GA

PURCHASE MATERIAL: AISI 304/316 SS SHEET  
ANNEALED

SPECIFICATION:

MIL-S-5059  
OR AMS 5513 (304)  
OR AMS 6524 (316)  
OR ASTM A240  
OR ASME SA240

FINISH:

FINISH IDENTIFIER  
UNPOLISHED No. 1  
UNPOLISHED No. 2D  
UNPOLISHED No. 2B  
POLISHED No. 3  
POLISHED No. 4  
BUFFED No. 6  
BUFFED No. 7  
BUFFED No. 8

PART NUMBER:

M304S TT GA #P

WHERE "TT" = GAUGE THICKNESS  
WHERE "#P" = FINISH IDENTIFIER

EG. 16 GAUGE SS SHEET 2B FINISH = M304S16GA  
EG. 16 GAUGE SS SHEET No. 4 POLISHED = M304S16GA4P

GAUGE THICKNESS REFERENCE:

GAUGE	NOM. THICK. (IN)	THICKNESS RANGE (IN)
26	0.01875	0.0178 - 0.019
25	0.021875	0.0199 - 0.023
24	0.025	0.024 - 0.026
23	0.028125	0.027 - 0.029
22	0.03125	0.030 - 0.032
21	0.034375	0.033 - 0.035
20	0.0375	0.036 - 0.040
19	0.04375	0.041 - 0.046
18	0.050	0.047 - 0.052
17	0.05625	0.053 - 0.058
16	0.0625	0.059 - 0.065
15	0.0703125	0.066 - 0.072
14	0.078125	0.073 - 0.083
13	0.08375	0.084 - 0.098
12	0.108375	0.099 - 0.114
11	0.125	0.115 - 0.130
10	0.140625	0.131 - 0.145
9	0.15625	0.146 - 0.160
8	0.171875	0.161 - 0.176
7	0.1875	0.182 - 0.194
6	0.2031	0.194 - 0.212
5	0.2188	0.201 - 0.228
4	0.2344	0.225 - 0.243
3	0.2500	0.238 - 0.262
2	0.2656	0.264 - 0.278
1	0.2813	0.269 - 0.293
0	0.3125	0.301 - 0.325

RELEASED

2015 FEB 04

ECN 15-122

D	ADDED GAUGES 0-7	AJS	15.01.06
C	DEFINED FINISH OPTION (ZN CB) AND EXAMPLE OF MATERIAL FIN WITH FINISH OTHER THAN ZN (ZN 85)	MB	12.09.20
B	REFORMAT DWG. ADD ASTM/ASME SPECS (ZN D8-1), ADD GAUGE REF (CB-1), REF PAR 08-020A	CP	09.06.01
A	NEW ISSUE	DS	01.09.24
REV.	DESCRIPTION	BY	DATE
DESIGN	DS		
DRAWN	AJS		
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	15.01.06		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. M304S			
TITLE 304/316 SS SHEET			
SHEET 1 OF 1			
SCALE NTS			
REV. D			
COPYRIGHT © 2001 BY DART AEROSPACE LTD			
THIS DOCUMENT IS UNCLASSIFIED AND IS AVAILABLE TO THE PUBLIC ON THE CONDITION THAT IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT PERMISSION FROM DART AEROSPACE LTD.			

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M304S116A  
 DATE: 1902/22

PO / BATCH NO.: P0042662/S155m20

MATERIAL CERT REC'D: Yes  
 QUANTITY RECEIVED: 325  
 QUANTITY INSPECTED: 325  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.125" 116A  
 THICKNESS RECEIVED: 0.121"  
 SHEET SIZE ORDERED: 4'x8'  
 SHEET SIZE RECEIVED: 4'x8'

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y	N	ASTM A240
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	HT: AIN050390
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 61</u> <u>9-89</u>	SIGNED OFF BY: _____
DATE: <u>FEB 22 2019</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in





3412

FESS-14G483042B

52451

20991 245

Manufacturer / Fabricante / Herstellerwerk 		Type of document / Tipo de documento / Art der Prüfbescheinigung <b>INSPECTION CERTIFICATE</b> CERTIFICADO DE INSPECCION ABNAHMEPRÜFZEUGNIS according to / de acuerdo con / nach EN 10204-3.1		Document number / N° de certificado / Bescheinigungs-nr. <b>0000341684 /</b> Page / Pagina / Seite: <b>1 / 1</b>																					
1 Steel Drive; P.O. Box 13000; Calvert, AL 36513-1300  OLBERT METAL SALES LIMITED 989 DERRY ROAD EAST SUITE 305 MISSISSAUGA ON L5T 2J8 CANADA			Customer/Ship to / Cliente / Besteller/Empfänger OLBERT METAL SALES LIMITED, MISSISSAUGA Customer's order number / N° de Pedido Cliente / Kundenbestellr. TQ-2245 Manufacturer's works order no. / N° de Pedido Manufactura / Werksauftragsnr. 901236308 / 004 Delivery note no. / N° de Entrega / Lieferanzeige Nr. 85539238 / 020 Product / Producto / Erzeugnis COIL/BOBINA/BAND																						
Terms of delivery / Condiciones de entrega / Lieferbedingungen ASTM A240/A240M-17, ASME SA-240 Sec. II part A Ed.2017 ASTM A480/A480M-17, ASME SA-480 Sec. II part A Ed.2017			Steel grade and quality / Acero / Stahlsorte und Gütegruppe TYPE 304L/304																						
Customer's material no. / N° de material del cliente / Kundenmaterial-Nr. 3096066 3096071		Product dimensions (Thickness / Width / Length) / Dimensiones (Espesor / Ancho / Largo) / Maße des Erzeugnisses (Dicke / Breite / Länge) 1.91 mm x 1,219.20 mm 0.0750 inch x 48.0000 inch		Steelmaking procedure / Proceso de manufact. / Herstellart AOD																					
Packing-No. / N° de Empaque / Paket-Nr. 3096066 3096071		No. of pieces / Piezas / Stückzahl 1 1		Actual weight / Peso actual / Ist-Gewicht 11,067 lb / 5,020 kg 11,067 lb / 5,020 kg																					
Actual length / Longitud actual / Ist-Länge 886 ft / 270 m 886 ft / 270 m		Coil-No. / Bobina No. / Band-Nr. 822187 822187		Heat No. / Colada / Schmelze 520596 520596																					
Sample Id. / N° de muestra / Proben-Id. 1000547288 1000547288		Sample Id. / N° de muestra / Proben-Id. 1000547288 1000547288		Sum / Suma / Summe   2   22,134 lb / 10,040 kg																					
Heat / Colada / Schmelze 520596		Country of Melt / País de colada / Erzeugungsort USA		Chemical composition / Composicion Química / Chemische Zusammensetzung Chemical analysis per ASTM A751-14a <table border="1"> <thead> <tr> <th>% C</th> <th>% Si</th> <th>% Mn</th> <th>% P</th> <th>% S</th> <th>% Cr</th> <th>% Mo</th> <th>% Ni</th> <th>% N</th> <th>% Cu</th> </tr> </thead> <tbody> <tr> <td>0.025</td> <td>0.31</td> <td>1.28</td> <td>0.029</td> <td>0.0010</td> <td>18.16</td> <td>0.31</td> <td>8.01</td> <td>0.067</td> <td>0.48</td> </tr> </tbody> </table>		% C	% Si	% Mn	% P	% S	% Cr	% Mo	% Ni	% N	% Cu	0.025	0.31	1.28	0.029	0.0010	18.16	0.31	8.01	0.067	0.48
% C	% Si	% Mn	% P	% S	% Cr	% Mo	% Ni	% N	% Cu																
0.025	0.31	1.28	0.029	0.0010	18.16	0.31	8.01	0.067	0.48																
Sample Position / Localiz. de la muestra / Probenlage TRANSVERSE		Mechanical testing per ASTM A370-17																							
Inspection lot / Lote de inspección / Prüfling 1000547288 1000547288		YS0.2% PSI / MPa 42,204 / 291 42,784 / 295		TS PSI / MPa 91,080 / 628 92,240 / 636																					
EI. A2" % 56.4 54.8		HRB 81 82																							
Resistant to intergranular corrosion / Resistente contra corrosión inter-granular / Beständig geg. interkrist. Korrosion: ASTM A 262-15, PRACTICE E - Sample Acceptable Dimensions-surface / Dimensiones-Superficie / Maße-Oberfläche: Test of identity (spectrum analysis) / Control de identidad (análisis espectrográfico) / Verwechslungsprüfung (Spektralanalyse): OK OK																									
Heat Treat: Solution anneal 1900°F/1040°C Min, Air and water quench No welding or weld repairs were performed on this material No intentional additions of Mercury compounds were made or used Free of radioactive contamination EU RoHS Directive 2011/65/EU Compliant Product manufactured in the USA Country of Heat as per ISO 3166-1																									
Originator of the document / Originador del documento / Aussteller der Bescheinigung <b>Outokumpu Stainless USA, LLC</b> An ISO 9001:2015 certified company An ISO 17025: 2005 accredited lab EU PED 2014/68/EU, Annex I, 4.3 certified Certificate is generated automatically / Certificado es generado automáticamente / Das Zeugnis wurde elektronisch erstellt		The information provided is a true copy of data on file / Los valores mostrados corresponden a los datos archivados / Die generierten Werte entsprechen den gespeicherten Daten  Andrew Faucett Phone: +1 251 829 3492 Name of expert / Nombre del experto / Name des Sachverständigen		Date of issue and validation / Fecha de emisión y validación / Datum Ausstellung / Bestätigung 05/01/2018 This document shall not be altered or reproduced, except in full. Fraudulent, fictitious, or false statements or entries may be prosecuted by law.																					

heat: 520596

## CERTIFICATION DU MATÉRIEL

CLIENT:  
SALABERRY-DE-VALLEYFIELD

ACIER OUELLETTE INC DIV.DE  
935 BOUL DU HAVRE  
SALABERRY-DE-VALLEYFIELD, QUEBEC  
QC J6S 5L1

NUMÉRO DE COMMANDE: 15068636 000010  
COMMANDE DU CLIENT: ac00020991 10  
NUMÉRO DE PIÈCES: 3412  
NUMÉRO DE LIVRAISON: 803951537 000010

NUMÉRO D'ARTICLE: 160009934  
DESCRIPTION INVENTAIRE: HOJA INOX 304 2B CAL 14 48 X 96

DESCRIPTION ARTICLE FINIS: INOX FL CR 304 2B PI  
14GA X 48po X 96po

NUMERO (S) DE COULÉE  
520596

Brame / BOBINE / TIN (le cas échéant)  
3096071


## CERTIFICATION

Un sondage de nos sources matérielles a indiqué que ni le mercure ni des substances radioactives ne sont introduits dans leurs produits ni ne sont utilisés dans aucun de leurs procédés. Alors que nous ne faisons aucun test indépendant pour le mercure ou la radiation, il n'y a rien dans le système de qui pourrait entraîner la contamination de l'un ou l'autre type.

Ce document certifie que le matériel décrit ci-dessus a été expédié conformément à votre commande. Le producteur du matériel a certifié à qu'il a été produit conformément aux spécifications suivantes:

ASTM A240      AMS 5513

10/29/2018

  
Thomas Endres  
Vice-président - Approvisionnement

# SPECIFICATION CONTROL DRAWING

Line 2.  
M304S146A

PURCHASE MATERIAL: AISI 304/316 SS SHEET  
ANNEALED

SPECIFICATION:

MIL-S-5059  
OR AMS 5513 (304)  
OR AMS 5524 (316)  
OR ASTM A240  
OR ASME SA240

FINISH:

FINISH  
UNPOLISHED No. 1  
UNPOLISHED No. 2D  
UNPOLISHED No. 2B  
POLISHED No. 3  
POLISHED No. 4  
BUFFED No. 6  
BUFFED No. 7  
BUFFED No. 8

DART M-NUMBER  
IDENTIFIER  
1P  
2D  
NONE  
3P  
4P  
6P  
7P  
8P

PART NUMBER:

M304S TT GA #P

WHERE "TT" = GAUGE THICKNESS  
WHERE "#P" = FINISH IDENTIFIER

EG. 16 GAUGE SS SHEET 2B FINISH = M304S16GA  
EG. 16 GAUGE SS SHEET No. 4 POLISHED = M304S16GA4P

GAUGE THICKNESS REFERENCE:

GAUGE	NOM. THICK. (IN)	THICKNESS RANGE (IN)
26	0.01875	0.0178 - 0.019
25	0.021875	0.0199 - 0.023
24	0.025	0.024 - 0.026
23	0.028125	0.027 - 0.029
22	0.03125	0.030 - 0.032
21	0.034375	0.033 - 0.035
20	0.0375	0.036 - 0.040
19	0.04375	0.041 - 0.046
18	0.050	0.047 - 0.052
17	0.05625	0.053 - 0.058
16	0.0625	0.059 - 0.065
15	0.0703125	0.066 - 0.072
14	0.078125	0.073 - 0.083
13	0.08375	0.084 - 0.098
12	0.108375	0.099 - 0.114
11	0.125	0.115 - 0.130
10	0.140625	0.131 - 0.145
9	0.15625	0.146 - 0.160
8	0.171875	0.161 - 0.176
7	0.1875	0.182 - 0.194
6	0.2031	0.194 - 0.212
5	0.2188	0.201 - 0.228
4	0.2344	0.225 - 0.243
3	0.2500	0.238 - 0.262
2	0.2656	0.254 - 0.278
1	0.2813	0.269 - 0.293
0	0.3125	0.301 - 0.325

RELEASED

2015 FEB 04

ECN 15-122 q

D	ADDED GAUGES 0-7	AJS	15.01.06
C	DEFINED FINISH OPTION (ZN CB) AND EXAMPLE OF MATERIAL FIN WITH FINISH OTHER THAN ZN (85)	MB	12.09.20
B	REFORMAT DWG. ADD ASTM/ASME SPECS (ZN D8-1), ADD GAUGE REF (CB-1), REF PAR 08-020A	CP	09.06.01
A	NEW ISSUE	DS	01.09.24
REV.	DESCRIPTION	BY	DATE
DESIGN	DS		
DRAWN	AJS		
CHECKED			
MFG. APPR.	M304S		
APPROVED			
DE APPR.			
DATE	15.01.06		

DART AEROSPACE LTD  
HAWKESBURY, ONTARIO, CANADA

DRAWING NO.

M304S

TITLE

304/316 SS SHEET

SCALE

NTS

REV. D

SHEET 1 OF 1

COPYRIGHT © 2001 BY DART AEROSPACE LTD  
THIS DOCUMENT IS UNCLASSIFIED AND IS AVAILABLE TO THE PUBLIC FOR THE PURPOSES OF THE PATENT ACT  
AND THE TRADE-MARK ACT  
UNLESS INDICATED OTHERWISE



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M304S14GA  
 DATE: 1/9/22

PO / BATCH NO.: P0042662/S15521

MATERIAL CERT REC'D: Yes  
 QUANTITY RECEIVED: 325F  
 QUANTITY INSPECTED: 325F  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 14GA  
 THICKNESS RECEIVED: 0.0745  
 SHEET SIZE ORDERED: 4'x8'  
 SHEET SIZE RECEIVED: 4'x8'

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y N	
CORROSION	Y <input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="checkbox"/> Y N	<u>ASPM A240</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y N	<u>LM: 520596</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 61</u> DATE: <u>9-89 FEB 22 2019</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in